U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

Form Approved OMB No. 44-R1387

## MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing, Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)


		77 OFOT!	ONL				
CALLA CHEMICAL COMPANY A	DI	V SECTI	ON I EMERGENCY TELEPHON	E NO.			
MANUFACTURER'S NAME							
DIVERSIFIED CHEMICALS COR ADDRESS (Number, Street, City, State, and ZIP Co		•	,14 020 110				
8100 ELECTRIC AVE., STANI	NO.	CALIFO	RNIA 90680 TRADE NAME AND SYNONYMS				
CHEMICAL NAME AND SYNONYMS		e e e e e	CALLA 301A				
SURFACTANT BLEND			FORMULA				
and the second s							
SECTION	11 -	HAZAR	DOUS INGREDIENTS	.	TLV		
PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	* %	(Units)		
PIGMENTS			BASE METAL				
CATALYST			ALLOYS				
VEHICLE			METALLIC COATINGS				
SOLVENTS			FILLER METAL PLUS COATING OR CORE FLUX				
ADDITIVES	<u> </u> -		OTHERS				
OTHERS					TLV		
HAZARDOUS MIXTURE	S OF	OTHER LIC	OUIDS, SOLIDS, OR GASES	%	(Units)		
		•		_	ļ		
			and the second s		ļ		
		<u> </u>					
	<u></u>			5			
SE <sub>1</sub>	CTIC	N III - F	PHYSICAL DATA				
BOILING POINT (°F.)	1.25	211	SPECIFIC GRAVITY (H <sub>2</sub> O=1)	108			
VAPOR PRESSURE (mm Hg.) 20° C		17.5					
VAPOR DENSITY (AIR=1)			EVAPORATION RATE ( =1)				
SOLUBILITY IN WATER							
APPEARANCE AND ODOR			Service Committee Co				
		- A - 1	EVELOCION HAZARD DATA				
A TRANSPORT OF A PROPERTY OF A PARTY OF THE	- FII	KE AND I	EXPLOSION HAZARD DATA		Uel		
FLASH POINT (Method used) None to	Boi	ling	FLAMMABLE LIMITS Lei				
		Andrew Control of					
EXTINGUISHING MEDIA Water							
SPECIAL FIRE FIGHTING PROCEDURES	N	ione	A STATE OF THE STA				
water	N	one	And the second of the second o				
water		ione					

(Continued on reverse side)

Andrews of Specific Confession (1997)				et a Made proposition et l' Capital des l'Agrès des l'actions	2000 - 100 -			
	SE	CTION	V - HEAL	TH HAZARD D	ATA			
THRESHOLD LIMIT VALUE Ethyleneglycolmonobutyl Ether 50 ppm. 5%								
EFFECTS OF OVEREXPOSURE								
EMERGENCY AND FIRST AID PROCEDURES CAUTION - MAY CAUSE EYE DAMAGE. For skin, wash with water; for eye								
contact, flush with plenty of water for at least 15 minutes and								
obtain immediate medical attention.								
SECTION VI - REACTIVITY DATA								
STABILITY	UNSTABLE	. ,	CONDITION	TO AVOID				
	STABLE	X						
INCOMPATABILITY (Materials to avoid)								
HAZARDOUS DECO	MPOSITION PRODUC	TS.						
HAZARDOUS	MAY OCCUR		CONDITIONS TO AVOID					
POLYMERIZATION	WILL NOT O	CCUR	X					
OFOTION VIII OR LEAV PROCEDURES								
SECTION VII - SPILL OR LEAK PROCEDURES  STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED								
Wash down spills with water								
\$								
WASTE DISPOSAL M	IETHOD DO TO			Jamal Cta	to and Torol lave and			
Be certain that Federal, State, and Local laws are complied with.								
A COMPTIEC	W.L.C.II.			And the second s				
				1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -				
SECTION VIII - SPECIAL PROTECTION INFORMATION								
RESPIRATORY PROTECTION (Specify type)  NA								
VENTILATION	LOCAL EXHAUST		Normal		SPECIAL			
	MECHANICAL (Ger	ieral)	····	<u> </u>	OTHER			
PROTECTIVE GLOV	Impervio	us Gl	oves	EYE PROTECTION	Splash Goggles			
OTHER PROTECTIVE EQUIPMENT Eye Bath								
CECTIONITY COECIAL DECALITIONS								
SECTION IX - SPECIAL PRECAUTIONS  PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING								
NONE NONE CONTRACTOR OF THE PROPERTY OF THE PR								
CAN MATERIAL BE STORED OUTSIDE? YES								
IS MATERIAL FREEZABLE? YES - 8°F								

GPO 934-110

Form OSHA-20
Rev. May 72



Janla

8100 ELECTRIC AVENUE STANTON, CALIFORNIA 90680 (714) 828-4470

## CALLA CHEMICAL COMPANY

A Division of Diversified Chemicals Corp.

March 25, 1977

Jens Cleaner, ackerline waterbase

M. J. Ceneroso,
Dept. C1-726 (52-11)
Materials Handling & Packaging Engineering
Douglas Aircraft Company
3855 Lakewood Boulevard
Long Beach, CA 90846

Dear Sirs:

In response to your letter of March 23, I submit the following information on CALLA 301A:

- 1. Shipping Classification D55 Liquid Soap
- 2. A copy of the letter by the Coast Guard
- 3. A safety Data Sheet.

If I can be of further assistance, please feel free to contact me.

Sincerely,

J Richard Foster GenerallManager

Attachments



## DEPARTMENT OF TRANSPORTATION UNITED STATES COAST GUARD

MAILING ABORLUS U.S. COAST GUARD G-MHM-2/83 WASHINGTON, D.C. 2019/15781

. 5903 11 July 1975

Calla Chemical Company 8100 Electric Avenue Stanton, California 90680

## Gentlemen:

Under the current Coast Guard procedure only those items meeting one or more of the definitions of a hazardous material, as contained in 46 CFR 146, are certified for use as articles of ships' stores. Those products that are not a hazardous material by definition are not certified and may be used aboard vessels without prior approval from the Commandant.

Based on the information supplied by your company, your product Calla 301 does not require certification as an article of ships' stores.

If we can be of further service to you, please do not hesitate to contact us.

Sincerely,

LT., U.S. Coast Guard

Chief, Packaged Cargo Branch By direction of the Commandant